


## Quick Guide to Referencing: A patent

|  |  |  |  |        |
|--|--|--|--|--------|
| (12) UK Patent Application   |  | (19) GB  | (11) 2 428 669   | (13) A |
|  |  | (43) Date of A Publication   | 07.02.2007   |        |
| (21) Application No:   | 0621446.4  | (51) INT CL:   | B65D 51/20 (2006.01)   |        |
| (22) Date of Filing:   | 26.03.2003   | (52) UK CL (Edition X):  | B8T T8B  |        |
| Date Lodged:   | 27.10.2006   | (56) Documents Cited:  | FR 002450756 A<br>US 3339772 A                                     |        |
| (62) Divided from Application No:  | 0306972.1 under Section 15(4) of the Patents Act 1977  | (58) Field of Search:  | UK CL (Edition X) B8T<br>INT CL B65D<br>Other: OPTICS, EPODOC, WPI |        |
| (71) Applicant(s):   | Portola Packaging Limited<br>(Incorporated in the United Kingdom)<br>3 Carriage Drive, White Rose Way,<br>DONCASTER, South Yorkshire, DN4 5NT,<br>United Kingdom |  |  |        |
| (72) Inventor(s):  | Gerry Mavin<br>Timothy Stephenson  |  |  |        |
| (74) Agent and/or Address for Service:   | Boult Wade Tennant<br>Verulam Gardens, 70 Gray's Inn Road,<br>LONDON, WC1X 8BT, United Kingdom   |  |  |        |
| (54) Abstract Title: Container closure in combination with a ring pull insert  |  |  |  |        |
| (57) There is described a closure for use with a container neck 10. The closure comprises a cap 16 and an insert 14. The insert 14 is adapted to be permanently adhered to the container neck 10 and has a sealing surface. The cap comprises a complimentary sealing surface for sealable engagement with the sealing surface provided on the insert and engagement means for releasable engagement with complimentary engagement means provided on the container neck. The insert may be provided with a flange 64 to overlie a surrounding rim on the neck 10, wherein the insert 14 protrudes axially no more than the thickness of the flange 64. A pull-ring 78 may be provided which merges with a membrane 70, the membrane 70 leaving an area of weakness provided by a narrow annular web 72. The cap 16 may be provided with a plug 50. The annular plug is so positioned as to be required to flex radially inwardly in order to be received within the cylindrical wall so that once the annular plug has been fully received, the resilience of the material forming the plug causes the exterior surface to be urged into sealing engagement with the interior surface of the cylindrical wall. |  |  |  |        |
|  |  | GB 2 428 669 A   |  |        |
| Original Printed on Recycled Paper   |  |  |  |        |

Applicants

Inventors

Series of designation

Date of publication

Title

### 1. Citing in text

e.g. New research on ring pulls (Mavin and Stephenson 2007) indicates...

### 2. Reference at end of work

Originator/s., (name of applicant/s), Year of publication. *Title of patent*. Series number and designation which may include full date.

Mavin, G. and Stephenson, T., (Portola Packaging Limited), 2007. *Container closure in combination with a ring pull insert*. UK patent application 2428669 A. 2007-02-07.